

THE GOOD OIL

QUICKSILVER®

MARINE LUBRICANTS

OptiMax / DFI

Premium Plus 2-Cycle

Premium 2-Cycle

Performance 4-Stroke

Sterndrive & Inboard 4-Cycle

Heavy Duty Diesel

PWC Blend 2-Cycle

Premium Gear Lube

High Performance Gear Lube

MERCURY



Recommended for OptiMax / DFI Engines

Quicksilver OptiMax / DFI Outboard Engines

Low emission 2-Stroke Outboards require a new generation in oil. Quicksilver OptiMax / DFI Oil is specifically designed and recommended for use in Mercury or Mariner OptiMax and other DFI 2-cycle outboards. It is not intended for use in all engines specifying a TC-W3 oil. Higher operating temperatures and reduced oiling rates in Mercury and Mariner OptiMax and DFI outboards have put increased stress on lubricants. By combining synthetic additives and a modified base stock blend Quicksilver OptiMax / DFI Outboard Oil will minimize carbon build-up. It provides increased lubricity and resistance to scuffing, maintains peak engine performance and fuel economy while helping to reduce smoke.

QUICKSILVER OPTIMAX / DFI OUTBOARD ENGINE OIL



size 4 litres part number 92-877694Q 1



Recommended for all Oil-Injected 2-Stroke

Quicksilver Premium PLUS 2-Cycle Outboard Oil

This advanced proprietary formula is designed for all 2-cycle outboard engine applications and specifically formulated to meet the demands of higher horsepower outboards. Blended with the highest quality ashless dispersants, this advanced formula maintains peak engine performance, even under severe conditions such as extended full throttle, high speed, heavy load and "out-of-the-hole" acceleration. Continued use of Quicksilver Premium Plus 2-Cycle Outboard Oil will help reduce corrosion and carbon build-up while providing superior lubrication for the internal engine components. Quicksilver Premium Plus 2-Cycle Outboard Oil meets all outboard and personal watercraft manufacturers' recommendations for use of NMMA TC-WII or TC-W3 oils in pre-mix or oil-injected 2-cycle applications.



- A** size 946 mL, part number 92-802824Q 1
- B** size 3.78 litres, part number 92-802826Q 1
- C** size 9.46 litres, part number 92-802828Q 1



Recommended for Pre-Mix Engines

Quicksilver Premium 2-Cycle Outboard Oil

Provides excellent 2-cycle lubrication for all horsepower outboards and other 2-cycle water or air-cooled engines. An exclusive formula designed to help maintain peak engine performance, this ashless dispersant oil helps fight rust, reduces smoke and controls deposits that rob your engine of acceleration and power. Quicksilver Premium 2-Cycle Outboard Oil meets all the requirements of the leading manufacturers of outboards, personal watercraft, snowmobiles, motorcycles, chain saws and other 2-cycle air or water-cooled applications that specify the use of NMMA TC-WII or TC-W3 or API TC oils in either pre-mix or oil-injected 2-cycle applications.



- A** size 946 mL, part number 92-802813Q 1
- B** size 3.78 litres, part number 92-802815Q 1
- C** size 9.46 litres, part number 92-802817Q 1



Recommended for 4-Stroke Outboards

Quicksilver Performance 4-Stroke Outboard Oil

Specifically formulated and developed to meet the needs of all 4-Stroke outboard engines. This performance grade formula is developed with special additives that stand up to the rigors of the marine environment. Blended with premium grade base stock and special additives, Quicksilver Performance 4-Stroke Outboard Oil provides superior lubrication and keeps your engine running at peak performance. Containing special shear stable viscosity improvers, this oil assures stay-in-grade performance in high RPM 4-Stroke outboard applications. Continued use protects the internal engine components against the harmful effects of corrosion, delivers superior friction and wear protection, and reduces piston ring deposits. Exceeds all 4-Stroke outboard engine manufacturers' requirements and surpasses API service requirements for SJ, CF-2 and CH-4. Do not use in 2-cycle outboards or other 2-cycle engines.



- A** size 1 litre **part number** 92-802833Q 1
- B** size 4 litres **part number** 92-802835Q 1



Recommended for Diesel Engines

Quicksilver Heavy Duty Diesel Engine Oil

Mercury Diesel Engine Oil is formulated to meet the heavy duty demands of marine diesel engines. The oil contains more

additives than standard fleet oils and provides greater engine protection even under the most severe operating conditions. This shear stable multi-grade formula (SAE 15W-40) provides excellent water tolerance, superior wear protection, and combats sludge and varnish formulation.

- size** 4 litres **part number** 92-877685Q 1



Recommended for Petrol Inboards

Quicksilver Sterndrive & Inboard 4-Cycle Engine Oil

Quicksilver Sterndrive & Inboard 4-Cycle Engine Oil is an exclusive formulation engineered to provide superior

lubrication and corrosion protection for 4-cycle marine engines. Meets and exceeds API service requirements for SJ, CF-2, CH-4 with a multi-functional additive that assures "Marine Grade" oil performance and provides warranty protection for all Mercury MerCruiser engines. Do not use in 2-cycle engines.

- size** 3.78 litres **part number** 92-802839Q 1





Recommended for Personal Water Craft Engines

Quicksilver PWC Blend 2-Cycle Engine Oil

Quicksilver Personal Watercraft engine oil is engineered for air or liquid cooled watercraft engines or engines that specify the use of API-TC type oils, including WaveRunner®, Sea-Doo® and Polaris® watercraft. This synthetic blend PWC oil utilizes an enhanced rust prevention package with superior anti-scuff properties to ensure the ultimate protection for your engine. Synthetic additives keep your engine cleaner and operating at peak performance. Quicksilver Personal Watercraft 2-Cycle Oil is not intended for use in engines specifying the use of a TC-W3 TM type oil. If your engine manufacturer recommends the use of a TC-W3 engine oil, use Quicksilver Premium 2-Cycle Outboard Oil.

- A** size 946 mL, part number 92-8811630 1
B size 3.78 litres part number 92-8811640 1



**QUICKSILVER
PREMIUM GEAR LUBE**

unit gears in high or low horsepower engines under varying operating conditions.



- A** size 946 mL, part number 92-8028460 1
B size 296 mL, part number 92-8028440 1
 size 9.46 litres part number 92-8028480 1 (not shown)
 * Not intended for use in OMC electric shift gear cases.



**QUICKSILVER
HIGH PERFORMANCE
GEAR LUBE**

protection and extended gear life in extreme conditions including high speed and high horsepower applications.



Quicksilver High Performance Gear Lube

For use in gear housings of Mercury MerCruiser sterndrives and all outboard lower units*. Quicksilver High Performance Gear Lube is an exclusive formulation engineered to provide maximum

- A** size 946 mL, part number 92-8028540 1
size 9.46 litres part number 92-8028560 1 (not shown)

* Not intended for use in OMC electric shift gear cases.

Mercury Marine Services Pty Ltd
 ASN 111 194 970
 100/100
 Boundary Rd, Maribyrnong VIC 3046
 Phone 08289 8370 Fax 9500 1177

MERCURY
Mercury Marine
 A.B.N 25 003 100 007
 Phone 1800 818 000 (Australia)
 Phone 0800 688 262 (New Zealand)
 www.mercurymarine.com.au

All data is correct at the time of printing, however Mercury Marine reserves the right to change prices and specifications without notice. All products available at time of publication.